

Overview

Transform your outdoor oasis into a glowing paradise with the LYSÄ Garden Bollard Light. Standing tall and elegant, this bollard light adds a touch of sophistication to any garden, pathway, or outdoor space. Crafted with meticulous attention to detail, the LYSÄ Garden Bollard Light boasts a sleek and modern design that seamlessly blends with your outdoor décor. Its slender profile, measuring $\varnothing 160 \times 300$ mm, stands as a beacon of both style and functionality.



Product data

General information


Product Name	Bollard Lights
Model Number	PECL-LYSA1-3K120D10
Dimensions	$\varnothing 160 \times 300$ mm
Input Voltage	220-240V AC
Power Consumption	10W
Luminous Flux	700lm
Lifetime	50.000 H
Beam Angle	360°
Safety Class	Class I
Ingress Protection Rating	IP65
Pole Diameter	$\varnothing 76$ mm
Color	Black
Color Temperature	Warm White (3000K)

Key Features:

- **Efficient Lighting:** With a power consumption of 10W and 700lm luminous flux, these bollard lights deliver bright illumination while minimizing energy consumption.
- **Optimal Beam Angle:** The 120° beam angle ensures wide and uniform lighting coverage, making them suitable for illuminating large outdoor areas.
- **High-Quality LEDs:** Equipped with 45 SMD2835 LEDs, these lights offer superior brightness and longevity.
- **Safety Certified:** Classified as Class I safety, these bollard lights are designed with protective measures to prevent electrical hazards during installation and operation.
- **Weatherproof Design:** With an IP65 rating, these lights are resistant to dust and water ingress, making them suitable for outdoor use in various weather conditions.

Applications:

- Pathway and Walkway Lighting
- Driveway and Garden Lighting
- Landscape and Architectural Lighting
- Outdoor Recreational Areas



Overview

Transform your outdoor oasis into a glowing paradise with the LYSÄ Garden Bollard Light. Standing tall and elegant, this bollard light adds a touch of sophistication to any garden, pathway, or outdoor space. Crafted with meticulous attention to detail, the LYSÄ Garden Bollard Light boasts a sleek and modern design that seamlessly blends with your outdoor décor. Its slender profile, measuring $\phi 160 \times 600$ mm, stands as a beacon of both style and functionality.



Product data

General information


Product Name	Bollard Lights
Model Number	PECL-LYSA2-3K120D10
Dimensions	$\phi 160 \times 600$ mm
Input Voltage	220-240V AC
Power Consumption	10W
Luminous Flux	700lm
Lifetime	50,000 H
Beam Angle	360°
Safety Class	Class I
Ingress Protection Rating	IP65
Pole Diameter	$\phi 76$ mm
Color	Black
Color Temperature	Warm White (3000K)

Key Features:

- **Efficient Lighting:** With a power consumption of 10W and 700lm luminous flux, these bollard lights deliver bright illumination while minimizing energy consumption.
- **Optimal Beam Angle:** The 120° beam angle ensures wide and uniform lighting coverage, making them suitable for illuminating large outdoor areas.
- **High-Quality LEDs:** Equipped with 45 SMD2835 LEDs, these lights offer superior brightness and longevity.
- **Safety Certified:** Classified as Class I safety, these bollard lights are designed with protective measures to prevent electrical hazards during installation and operation.
- **Weatherproof Design:** With an IP65 rating, these lights are resistant to dust and water ingress, making them suitable for outdoor use in various weather conditions.

Applications:

- Pathway and Walkway Lighting
- Driveway and Garden Lighting
- Landscape and Architectural Lighting
- Outdoor Recreational Areas





Overview

Transform your outdoor oasis into a glowing paradise with the LYSÄ Garden Bollard Light. Standing tall and elegant, this bollard light adds a touch of sophistication to any garden, pathway, or outdoor space. Crafted with meticulous attention to detail, the LYSÄ Garden Bollard Light boasts a sleek and modern design that seamlessly blends with your outdoor décor. Its slender profile, measuring $\varnothing 160 \times 900$ mm, stands as a beacon of both style and functionality.



Product data

General information

Product Name	Bollard Lights
Model Number	PECL-LYSA3-3K120D10
Dimensions	$\varnothing 160 \times 900$ mm
Input Voltage	220-240V AC
Power Consumption	10W
Luminous Flux	700lm
Lifetime	50.000 H
Beam Angle	360°
Safety Class	Class I
Ingress Protection Rating	IP65
Pole Diameter	$\varnothing 76$ mm
Color	Black
Color Temperature	Warm White (3000K)

Key Features:

- **Efficient Lighting:** With a power consumption of 10W and 700lm luminous flux, these bollard lights deliver bright illumination while minimizing energy consumption.
- **Optimal Beam Angle:** The 120° beam angle ensures wide and uniform lighting coverage, making them suitable for illuminating large outdoor areas.
- **High-Quality LEDs:** Equipped with 45 SMD2835 LEDs, these lights offer superior brightness and longevity.
- **Safety Certified:** Classified as Class I safety, these bollard lights are designed with protective measures to prevent electrical hazards during installation and operation.
- **Weatherproof Design:** With an IP65 rating, these lights are resistant to dust and water ingress, making them suitable for outdoor use in various weather conditions.

Applications:

- Pathway and Walkway Lighting
- Driveway and Garden Lighting
- Landscape and Architectural Lighting
- Outdoor Recreational Areas

